

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | | | |
|---|---|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|---|---|
| | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days | | |
| KIWIS - APTERYGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Northern brown kiwi | <i>Apteryx mantelli</i> | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| E | Southern brown kiwi | <i>Apteryx australis</i> | | | | | | | | | | | | | | | | | | 1 | | | | | 1 | 1 | |
| E | Little spotted kiwi | <i>Apteryx owenii</i> | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| PENGUINS - SPHENISCIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Yellow-eyed penguin | <i>Megadyptes antipodes</i> | | | | | | | | | | | 1 | | | | | | | | | 1 | | | 1 | 1 | 2 |
| | Little penguin | <i>Eudyptula minor</i> | | | 1 | 1 | 1 | | 1 | | | | 1 | 1 | | | | | | | 1 | 1 | | | 1 | 8 | |
| E | Fiordland (New Zealand) crested penguin | <i>Eudyptes pachyrhynchus</i> | | | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 | |
| GREBES - PODICIPEDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Great crested grebe | <i>Podiceps cristatus</i> | | | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 | |
| E | New Zealand grebe (dabchick) | <i>Poliiocephalus rufopectus</i> | 1 | 1 | | | | | | | 1 | | | | | | | | | | | | | | 1 | 3 | |
| | Australasian little grebe | <i>Tachybaptus novaehollandiae</i> | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| ALBATROSSES - DIOMEDEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Snowy [Wandering] albatross | <i>Diomedea chionoptera</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| E | Antipodean [Wandering] albatross | <i>Diomedea antipodensis</i> | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | |
| E | Gibson's [Wandering] albatross | <i>Diomedea gibsoni</i> | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | 2 | |
| E | Southern Royal albatross | <i>Diomedea epomophora</i> | | | | | | | | | | 1 | | 1 | | | | | | | | 1 | | 1 | 1 | 5 | |
| E | Northern Royal albatross | <i>Diomedea sanfordi</i> | | | | | | | 1 | | | | | 1 | | | | | | | | | | 1 | 1 | 3 | |
| | Black-browed albatross | <i>Thalassarche melanophris</i> | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | |
| E | Campbell albatross | <i>Thalassarche impavida</i> | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | 2 | |
| E | Buller's albatross | <i>Thalassarche bulleri</i> | | | | | | | | | | | | | | | | | | 1 | 1 | | 1 | | 1 | 3 | |
| E | Pacific (Northern Buller's) albatross | <i>Thalassarche platei</i> | | | | | | | 1 | | | | | | | | | | | | | | | | 1 | 1 | |
| E | White-capped albatross | <i>Thalassarche steadi</i> | | | | | | | 1 | | | 1 | | 1 | | | | | | | 1 | 1 | | 1 | 1 | 7 | |
| E | Salvin's albatross | <i>Thalassarche salvini</i> | | | | | | | 1 | | | 1 | | 1 | | | | | | | | | | 1 | 1 | 5 | |
| SHEARWATERS & PETRELS - PROCELLARIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Flesh-footed shearwater | <i>Puffinus carneipes</i> | | | 1 | | | | 1 | | | | | | | | | | | | | | | | 1 | 1 | 4 |
| E | Buller's shearwater | <i>Puffinus bulleri</i> | | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | | 1 | 1 | 5 |
| | Sooty shearwater | <i>Puffinus griseus</i> | | | | | | | 1 | | | 1 | | | | | | | | | 1 | 1 | | | 1 | 1 | 6 |
| | Short-tailed shearwater | <i>Puffinus tenuirostris</i> | | | | | | | | | | | | 1 | | | | | | | | | | | | 1 | 1 |
| E | Fluttering shearwater | <i>Puffinus gavia</i> | | | 1 | 1 | 1 | | 1 | | | 1 | 1 | | | | | | | | | | | | 1 | 1 | 7 |
| E | Hutton's shearwater | <i>Puffinus huttoni</i> | | | | | | | | | | | 1 | | | | | | | | 1 | | | | 1 | 1 | 4 |
| | Little shearwater | <i>Puffinus assimilis</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| | Common diving-petrel | <i>Pelecanooides urinatrix</i> | | | 1 | | | | | | | | | | | | | | | | 1 | 1 | | 1 | | 1 | 4 |
| E | Black (Parkinson's) petrel | <i>Procellaria parkinsoni</i> | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | 1 | 2 |
| E | Westland petrel | <i>Procellaria westlandica</i> | | | | | | | | | | ? | | | | | | | | | | | | | 1 | 1 | 2 |
| | White-chinned petrel | <i>Procellaria aequinoctialis</i> | | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 | 2 |
| | Cape petrel (pigeon) | <i>Daption capense</i> | | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 | 4 |
| | Southern giant-petrel | <i>Macronectes giganteus</i> | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 |
| | Northern giant-petrel | <i>Macronectes halli</i> | | | | | | | | | | | 1 | | 1 | | | | | | | | | | 1 | 1 | 3 |
| | Fairy prion | <i>Pachyptila turtur</i> | | | 1 | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 | 3 |
| | Broad-billed prion | <i>Pachyptila vittata</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| E | Pycroft's petrel | <i>Pterodroma pycrofti</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| E | Cook's petrel | <i>Pterodroma cookii</i> | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| | Black-winged petrel | <i>Pterodroma nigripennis</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| E | Mottled petrel | <i>Pterodroma inexpectata</i> | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | 1 | 2 |
| | Grey-faced petrel | <i>Pterodroma gouldi</i> | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | 1 |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | | | | |
|--|------------------------------|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|---|----|----|
| | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days | | | |
| STORM-PETRELS - HYDROBATIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | New Zealand storm-petrel | <i>Oceanites maorianus</i> | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| | Grey-backed storm-petrel | <i>Oceanites nereis</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | | |
| | White-faced storm-petrel | <i>Pelagodroma marina</i> | | | 1 | | | | 1 | | | | | | | | | | | | | | | | 1 | 2 | | |
| BOOBIES AND GANNETS- SULIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Australasian gannet | <i>Morus serrator</i> | 1 | 1 | 1 | 1 | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | 1 | 1 | 9 | |
| CORMORANTS - PHALACROCORACIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Great cormorant (black shag) | <i>Phalacrocorax carbo</i> | | 1 | | | | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 14 | |
| | Pied cormorant | <i>Phalacrocorax varius</i> | 1 | 1 | 1 | | 1 | 1 | | | | 1 | 1 | | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 13 | |
| | Little black cormorant | <i>Phalacrocorax sulcirostris</i> | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | 1 | 3 | |
| | Little pied cormorant | <i>Phalacrocorax melanoleucos</i> | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 19 | |
| E | Stewart Island shag | <i>Leucocarbo chalconotus</i> | | | | | | | | | | | | | | | | | | | 1 | 1 | | 1 | 1 | 3 | | |
| E | King shag | <i>Leucocarbo carunculatus</i> | | | | | | | | | | | 1 | | | | | | | | | | | | | 1 | 1 | |
| E | Spotted shag | <i>Stictocarbo punctatus</i> | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 9 | |
| HERONS, EGRETS, BITTERNS - ARDEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | White-faced heron | <i>Egretta novaehollandiae</i> | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 19 | |
| | Eastern reef egret (heron) | <i>Egretta sacra</i> | 1 | | 1 | | | | | | | 1 | | | | | | | | | | | | | | 1 | 3 | |
| | Great egret (white heron) | <i>Ardea alba</i> | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | |
| | Cattle egret | <i>Ardea ibis</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| | Australasian bittern | <i>Botaurus poiciloptilus</i> | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 1 | |
| IBISES & SPOONBILLS - THRESKIORNITHIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Royal spoonbill | <i>Platalea regia</i> | | | | | 1 | | | | | 1 | | | | | | | | | 1 | | | | 1 | 1 | 4 | |
| DUCKS, GEESE, SWANS - ANATIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Mute swan | <i>Cygnus olor</i> | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 1 | |
| | Black swan | <i>Cygnus atratus</i> | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 16 | |
| | Feral (greylag) goose | <i>Anser anser</i> | | 1 | | | 1 | | 1 | 1 | 1 | 1 | | | | | | | | | | | 1 | 1 | 1 | 1 | 9 | |
| | Canada goose | <i>Branta canadensis</i> | | | | | 1 | 1 | 1 | 1 | | 1 | | | | | | | | | | | | | | | 7 | |
| | Cape Barren goose | <i>Cereopsis novaehollandiae</i> | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | 1 | 2 | |
| E | Paradise shelduck | <i>Tadorna variegata</i> | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 17 | |
| E | Blue duck | <i>Hymenolaimus malacorhynchos</i> | | | | | | | | | 1 | | | | | | | | | | 1 | | | | | | 1 | 2 |
| | Mallard | <i>Anas platyrhynchos</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| | Pacific black (grey) duck | <i>Anas superciliosa</i> | 1 | 1 | | | | 1 | | | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | 8 | |
| | Grey teal | <i>Anas gracilis</i> | 1 | | | | 1 | 1 | 1 | 1 | | | 1 | | 1 | 1 | | | | | | | | | 1 | 1 | 10 | |
| E | Brown teal | <i>Anas chlorotis</i> | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| | Australasian shoveler | <i>Anas rhynchos</i> | 1 | | | | | 1 | | | | | | | 1 | | | | | | | | | | 1 | 1 | 4 | |
| E | New Zealand scaup | <i>Aythya novaeseelandiae</i> | 1 | | | | | 1 | | 1 | 1 | | | | 1 | | 1 | 1 | 1 | 1 | | | | | | 1 | 8 | |
| HAWKS, EAGLES, KITES - ACCIPTRIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Swamp (Australasian) harrier | <i>Circus approximans</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 20 | |
| E | New Zealand falcon | <i>Falco novaeseelandiae</i> | | | | | | H | | 1 | | | | | | | | | | | | | | | | 1 | 2 | |
| TURKEYS - MELEAGRIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Wild turkey | <i>Meleagris gallopavo</i> | | 1 | | | | 1 | | 1 | 1 | | | | | | | | | | | | | | | 1 | 4 | |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | | | |
|--|--|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|----|----|
| | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days | | |
| NEW WORLD QUAIL - ODONTOPHORIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Chukor | <i>Alectoris chukar</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 | |
| | Brown quail | <i>Coturnix ypsilophora</i> | | | | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | 2 | |
| | Feral chicken (red junglefowl) | <i>Gallus gallus</i> | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| | Common (ring-necked) pheasant | <i>Phasianus colchicus</i> | | H | | | | H | | | | | | | | | | | | | | | | | 0 | 0 | |
| | Indian peafowl (peacock) | <i>Pavo cristatus</i> | | | | | | | 1 | | H | | | | | | | | | | | | | | 1 | 1 | |
| | California quail | <i>Callipepla californica</i> | 1 | | | | | | 1 | | 1 | | | | | | | | 1 | | | | | | 1 | 5 | |
| RAILS, GALLINULES, COOTS - RALLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Weka | <i>Gallirallus australis</i> | | | 1 | | | | | | | 1 | | | 1 | 1 | | | | | | 1 | | | 1 | 5 | |
| | Buff-banded (banded) rail | <i>Gallirallus philippensis</i> | 1 | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 2 | |
| | Baillon's (marsh) crake | <i>Porzana pusilla</i> | | | | | | | | | | | | | | | | 1 | | | | | | | 1 | 1 | |
| | Spotless crake | <i>Porzana tabuensis</i> | | | | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | 2 | |
| | Pukeko (purple swamphen) | <i>Porphyrio melanotus</i> | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 18 | |
| E | South Island takahe | <i>Porphyrio hochstetteri</i> | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | 1 | 2 |
| | Common coot | <i>Fulica atra</i> | | | | | | 1 | | | | | | | 1 | | | | | | | | | | 1 | 3 | |
| OYSTERCATCHERS - HAEMATOPODIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | South Island oystercatcher | <i>Haematopus finschi</i> | 1 | 1 | | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 16 |
| E | Variable oystercatcher | <i>Haematopus unicolor</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 |
| AVOCETS & STILTS - RECURVIROSTRIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Pied (black-winged) stilt | <i>Himantopus himantopus</i> | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 16 |
| E | Black stilt | <i>Himantopus novaezelandiae</i> | | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | 1 |
| PLOVERS & LAPWINGS - CHARADIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Pacific golden plover | <i>Pluvialis fulva</i> | | | | | 1 | 1 | 1 | | | 1 | | | | | | | | | | | | | | 1 | 4 |
| E | New Zealand plover (dotterel) | <i>Charadrius obscurus</i> | | 1 | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 2 |
| E | Banded dotterel (double-banded plover) | <i>Charadrius bicinctus</i> | | 1 | | | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | 1 | 1 | 1 | 11 |
| | Black-fronted dotterel | <i>Charadrius melanops</i> | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | 1 | 2 |
| E | Wrybill | <i>Anarhynchus frontalis</i> | | | | | 1 | | | | | 1 | | | | | | | | | | | | | | 1 | 2 |
| | Masked lapwing (spur-winged plover) | <i>Vanellus miles</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 20 |
| SANDPIPERS - SCOLOPACIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bar-tailed godwit | <i>Limosa lapponica</i> | | 1 | 1 | | 1 | 1 | 1 | | | 1 | | | | | | | | | 1 | | 1 | | 1 | 1 | 8 |
| | Ruddy turnstone | <i>Arenaria interpres</i> | | 1 | | | 1 | | | | | | 1 | | 1 | | | | | | | | | | 1 | 1 | 7 |
| | Red (lesser) knot | <i>Calidris canutus</i> | | 1 | | | 1 | | | | | 1 | | | | | | | | | | | | | | 1 | 3 |
| | Red-necked stint | <i>Calidris ruficollis</i> | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 |
| | Pectoral sandpiper | <i>Calidris melanotos</i> | | | | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | 1 | 3 |
| | Sharp-tailed sandpiper | <i>Calidris acuminata</i> | | | | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | 1 | 3 |
| | Curlew sandpiper | <i>Calidris ferruginea</i> | | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| JAEGERS & SKUAS - STERCORIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Brown skua | <i>Catharacta lonnbergi</i> | | | | | | | 1 | | | | | | | | | | | | | 1 | | | | 1 | 2 |
| | Parasitic jaeger (Arctic skua) | <i>Stercorarius parasiticus</i> | | | | 1 | | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | 1 | 1 | 6 |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | | |
|---|---------------------------------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|----|
| | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days | |
| GULLS - LARIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Black-backed (kelp) gull | <i>Larus dominicanus</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| E | Red-billed gull | <i>Larus scopulinus</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 20 |
| E | Black-billed gull | <i>Larus bulleri</i> | | | | | 1 | | | 1 | 1 | 1 | | 1 | | | | 1 | 1 | 1 | | | | | | 10 |
| TERNs - STERNIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Caspian tern | <i>Sterna caspia</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | | | | | | | | | 1 | 1 | 12 |
| | White-fronted tern | <i>Sterna striata</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | | | | | 1 | 1 | | 1 | 1 | 15 |
| | Antarctic tern | <i>Sterna vittata</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| | Little tern | <i>Sterna albigrons</i> | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 1 |
| E | Fairy tern | <i>Sterna nereis</i> | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| E | Black-fronted tern | <i>Sterna albostrata</i> | | | | | | | | | | | | | 1 | 1 | | 1 | 1 | 1 | | | 1 | 1 | 1 | 7 |
| | Grey ternlet (blue noddy) | <i>Procelsterna albivitta</i> | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| PIGEONS & DOVES - COLUMBIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | New Zealand pigeon | <i>Hemiphaga novaeseelandiae</i> | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17 |
| | Rock (feral) pigeon | <i>Columba livia</i> | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | 1 | 1 | | | 1 | 1 | 1 | 17 |
| | African (Barbary) collared-dove | <i>Streptopelia roseogrisea</i> | | | | | 1 | | | 1 | | | | | | | | | | | | | | | 1 | 2 |
| | Spotted dove | <i>Streptopelia chinensis</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| PARROTS - PSITTACIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Sulphur-crested cockatoo | <i>Cacatua galerita</i> | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| E | New Zealand kaka | <i>Nestor meridionalis</i> | | | | | | 1 | | 1 | | | | | | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 6 |
| E | Kea | <i>Nestor notabilis</i> | | | | | | | | | | | | | | 1 | 1 | | 1 | | | | | | 1 | 3 |
| | Eastern rosella | <i>Platycercus eximius</i> | 1 | H | | | | 1 | | | | | | | | | | | | | | | | | 1 | 2 |
| E | Red-crowned parakeet | <i>Cyanoramphus novaeseelandiae</i> | | | | 1 | 1 | | | | | | | | | | | | | | | 1 | | | 1 | 3 |
| E | Yellow-crowned parakeet | <i>Cyanoramphus auriceps</i> | | | | | | 1 | | 1 | | | 1 | | | 1 | H | | 1 | | 1 | | | | 1 | 6 |
| CUCKOOS- CUCULIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Shining bronze-cuckoo | <i>Chrysococcyx lucidus</i> | 1 | | | | | H | | | | | | | | | | | | | | | | | 1 | 1 |
| | Long-tailed koel (cuckoo) | <i>Eudynamys taitensis</i> | | | | | | H | | 1 | 1 | | | H | H | H | | | 1 | | | | | | 1 | 3 |
| OWLS - STRIGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Morepork | <i>Ninox novaeseelandiae</i> | 1 | | | H | | | | | | | | | 1 | H | | | | H | | | | | 1 | 2 |
| | Little owl | <i>Athene noctua</i> | | | | | | | | | | | 1 | | | | | | | | 1 | | 1 | | 1 | 3 |
| KINGFISHERS - ALCEDINIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Sacred kingfisher | <i>Todiramphus sanctus</i> | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | | | | | | | 1 | 11 |
| NEW ZEALAND WRENS - ACANTHISITTIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Rifleman | <i>Acanthisitta chloris</i> | | | | | | 1 | | 1 | | | | | 1 | 1 | 1 | | 1 | | 1 | | | | 1 | 7 |
| E | Rock (South Island) wren | <i>Xenicus gilviventris</i> | | | | | | | | | | | | | | | | | 1 | | | | | | 1 | 1 |
| LARKS - ALAUDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Sky lark | <i>Alauda arvensis</i> | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17 |
| SWALLOWS - HIRUNDINIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Welcome swallow | <i>Hirundo neoxena</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| WAGTAILS & PIPITS - MOTACILLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | New Zealand pipit | <i>Anthus novaeseelandiae</i> | | 1 | | | | | | 1 | 1 | 1 | | | | 1 | | | | | | | | | 1 | 5 |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | | |
|---|---------------------------|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|----|
| | | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days | |
| ACCENTORS - PRUNELLIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Dunnock | <i>Prunella modularis</i> | | | | | | 1 | | | 1 | | 1 | | 1 | | | 1 | | 1 | | | | 1 | 7 | |
| THRUSHES - TURDIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Common blackbird | <i>Turdus merula</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| | Song thrush | <i>Turdus philomelos</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| OLD WORLD WARBLERS - SYLVIIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | New Zealand fernbird | <i>Megalurus punctata</i> | | | | H | | | | 1 | | | | | | 1 | | | H | | | | | | 1 | 2 |
| FANTAILS - RHIPIDURIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Grey fantail | <i>Rhipidura fuliginosa</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | 1 | | | 1 | 1 | 1 | | 1 | 1 | 14 |
| AUSTRALASIAN ROBINS - PETROCIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Tomtit | <i>Petroica macrocephala</i> | 1 | | | | | 1 | | | 1 | H | | | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | 10 |
| E | New Zealand robin | <i>Petroica australis</i> | | | | 1 | 1 | 1 | | | 1 | | | | | 1 | 1 | | | 1 | | 1 | | | 1 | 8 |
| WHISTLERS & ALLIES - PACHYCEPHALIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Whitehead | <i>Mohoua albicilla</i> | | | | 1 | 1 | 1 | | 1 | 1 | | | | | | | | | | | | | | 1 | 5 |
| E | Yellowhead | <i>Mohoua ochrocephala</i> | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| E | New Zealand brown creeper | <i>Mohoua novaeseelandiae</i> | | | | | | | | | | | | | | 1 | 1 | | | | | 1 | | | 1 | 3 |
| THORNBILLS & ALLIES - ACANTHIZIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Grey gerygone (warbler) | <i>Gerygone igata</i> | 1 | 1 | | | | 1 | | 1 | 1 | | | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 13 |
| WHITE-EYES - ZOSTEROPIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Silvereye (waxeye) | <i>Zosterops lateralis</i> | 1 | | | | | 1 | | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 14 |
| HONEYEATERS - MELIPHAGIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | Stitchbird | <i>Notiomystis cincta</i> | 1 | | | 1 | 1 | | | | | | | | | | | | | | | | | | 1 | 3 |
| E | New Zealand bellbird | <i>Anthornis melanura</i> | | | H | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16 |
| E | Tui | <i>Prothemadera novaeseelandiae</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16 |
| WATTLEBIRDS - CALLAEIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | North Island kokako | <i>Callaeas wilsoni</i> | | | | 1 | 1 | | | 1 | | | | | | | | | | | | | | | 1 | 3 |
| E | Saddleback | <i>Philesturnus carunculatus</i> | | | | 1 | 1 | | | | | | 1 | | | | | | | | | | 1 | | 1 | 4 |
| BELLMAGPIES - CRACTICIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Australian magpie | <i>Gymnorhina tibicen</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 20 |
| CROWS, JAYS, MAGPIES - CORVIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rook | <i>Corvus frugilegus</i> | | | | | | | | | | | | | | | | | | | | | | | 0 | 0 |
| STARLINGS - STURNIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Common starling | <i>Sturnus vulgaris</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |
| | Common myna | <i>Acridotheres tristis</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | 1 | 8 |
| OLD WORLD SPARROWS - PASSERIDAE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | House sparrow | <i>Passer domesticus</i> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 21 |

21-day tour of New Zealand with Wrybill Birding Tours, NZ

| | Date | 12-Jan | 13-Jan | 14-Jan | 15-Jan | 16-Jan | 17-Jan | 18-Jan | 19-Jan | 20-Jan | 21-Jan | 22-Jan | 23-Jan | 24-Jan | 25-Jan | 26-Jan | 27-Jan | 28-Jan | 29-Jan | 30-Jan | 31-Jan | 1-Feb | No. | |
|---|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|------|
| | Day | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | Total | days |
| SISKINS, CROSSBILLS - FRINGILLIDAE | | | | | | | | | | | | | | | | | | | | | | | | |
| Chaffinch | <i>Fringilla coelebs</i> | 1 | 1 | | | | 1 | | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 |
| European greenfinch | <i>Carduelis chloris</i> | | 1 | | | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16 |
| European goldfinch | <i>Carduelis carduelis</i> | 1 | 1 | | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 18 |
| Common redpoll | <i>Carduelis flammea</i> | | | | | | 1 | | | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11 |
| BUNTINGS, SPARROWS - EMBERIZIDAE | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellowhammer | <i>Emberiza citrinella</i> | 1 | 1 | | | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16 |
| Cirl bunting | <i>Emberiza cirlus</i> | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| ADDITIONAL SPECIES | | | | | | | | | | | | | | | | | | | | | | | | |
| Kookaburra | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Grey-tailed tattler | | | | | | | | 1 | | | | | | | | | | | | | | | 1 | 1 |
| Black kite | | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 |
| Great-spotted kiwi | | | | | | | | | | | | | | H | | | | | | | | | 0 | 0 |
| Okarito brown kiwi | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | 1 |
| Shore plover | | | | | | | | | | | | | | | | | | | 1 | | | | 1 | 1 |
| TOTAL | | 49 | 48 | 36 | 43 | 61 | 61 | 50 | 54 | 41 | 54 | 48 | 51 | 53 | 49 | 38 | 39 | 42 | 57 | 38 | 52 | 64 | 156 | |